

Modifizierte Flugstrecken zur Beurteilung der Varianten für AMTIX_kurz

ID	Streckenbezeichnung
modFlg1111	IFR_18M_nach_AKONI_S_1
modFlg1132	IFR_18N_nach_AKONI_S_1
modFlg1153	IFR_18S_nach_AKONI_S_1

Variante 1

Geradeaus (m)	Kurve L/R	Winkel (°)	Radius (m)	Korridorbreite am Ende (m)
2000.00				200.00
2067.21				500.00
7.85	L	61.53	2779.15	500.00
2825.99	L	1.79	3000.00	500.00
5691.91	L	22.47	6174.89	500.00
2065.64	R	66.72	3381.21	1200.00
26192.68	L	41.57	4464.26	1000.00
				1500.00

Variante 2

Geradeaus (m)	Kurve L/R	Winkel (°)	Radius (m)	Korridorbreite am Ende (m)
2000.00				200.00
2067.21				500.00
7.85	L	61.53	2779.15	500.00
2681.37	L	2.06	3000.00	500.00
5825.65	L	22.16	7107.64	500.00
31128.21	R	31.92	5829.18	1000.00
				1500.00

Variante 3

Geradeaus (m)	Kurve L/R	Winkel (°)	Radius (m)	Korridorbreite am Ende (m)
2000.00				200.00
2067.21				500.00
7.85	L	61.53	2779.15	500.00
2823.33	L	1.72	3000.00	500.00
4129.87	L	22.54	6125.63	500.00
3840.47	R	50.44	3460.02	800.00
26224.08	L	25.28	7415.61	1200.00
				1200.00
				1000.00
				1500.00

Variante 4

Geradeaus (m)	Kurve L/R	Winkel (°)	Radius (m)	Korridorbreite am Ende (m)
2000.00				200.00
2067.21				500.00
7.85	L	61.53	2779.15	500.00
3493.72	L	1.21	3000.00	500.00
3114.94	L	21.30	7087.73	500.00
4241.94	R	45.24	4192.66	500.00
27061.45	L	21.82	4282.52	600.00
				1000.00
				1000.00
				1000.00
				1500.00

Variante 5

Geradeaus (m)	Kurve L/R	Winkel (°)	Radius (m)	Korridorbreite am Ende (m)
2000.00				200.00
2067.21				500.00
7.85	L	61.53	2779.15	500.00
8839.48	L	13.46	2321.19	500.00
3673.07	R	36.19	4640.57	800.00
26262.10	L	21.82	8429.39	1000.00
				1500.00

Variante 6b

Geradeaus (m)	Kurve L/R	Winkel (°)	Radius (m)	Korridorbreite am Ende (m)
2000.00				200.00
2067.21				500.00
7.85	L	61.53	2779.15	500.00
7407.09	L	0.03	20000.00	500.00
1259.85	L	25.84	8154.42	600.00
2019.19	R	50.58	7441.42	1000.00
20694.87	L	23.81	9426.31	1000.00
				1500.00

Variante 6unh

Geradeaus (m)	Kurve L/R	Winkel (°)	Radius (m)	Korridorbreite am Ende (m)
2000.00				200.00
2067.21				500.00
7.85	L	61.53	2779.15	500.00
6919.13	L	0.11	3000.00	500.00
445.68	L	27.57	7563.65	600.00
2248.40	R	48.12	4410.74	1000.00
24384.54	L	19.52	11659.03	1000.00
				1500.00

Variante 5c

Geradeaus (m)	Kurve L/R	Winkel (°)	Radius (m)	Korridorbreite am Ende (m)
2000.00				200.00
1811.29				500.00
	L	75.20	3091.61	500.00
8520.97				800.00
	R	36.20	4664.60	1000.00
3672.98				1000.00
	L	21.80	8452.21	1000.00
26289.85				1500.00

Variante 5d

Geradeaus (m)	Kurve L/R	Winkel (°)	Radius (m)	Korridorbreite am Ende (m)
2000.00				200.00
2493.85				500.00
	L	75.20	2209.86	500.00
9199.96				800.00
	R	36.20	4673.27	1000.00
3667.11				1000.00
	L	21.80	8467.99	1000.00
26286.81				1500.00